
VERNON ROYAL LINE

SPECIES PHRYNOSOMA M'CALLI TAG NO. 201

CONTAINER NO. B72 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE SEP 6 1962 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0720 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

Laid 3 eggs in bottle between Sept. 7 (12 noon) and Sept. 10 (10 AM). Eggs contained tiny embryos. (Probably laid Sept. 9 or 10, since they were not dessicated yet.)

2 corpora lutea – left ovary; 1 corpus luteum – right ovary.

SPECIES _____ TAG NO. _____

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE _____ SPEEDOMETER _____

LOCALITY _____

COUNTY _____ CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi\hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: _____

SPECIES PHRYNOSOMA M'CALLI TAG NO. 202

CONTAINER NO. B63 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE SEP 15 1962 SPEEDOMETER _____

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0800 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 203

CONTAINER NO. B63 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE SEP 15 1962 SPEEDOMETER _____

LOCALITY 13 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0843 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: at edge of pavement

2 fresh corpora lutea are present in each ovary. They don't appear to be over a week old.

SPECIES _____ TAG NO. _____

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE _____ SPEEDOMETER _____

LOCALITY _____

COUNTY _____ CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi\hr) _____ ROAD TEMP. _____°C

AIR TEMP(30 in) _____°C AIR TEMP(1 cm) _____°C

SOIL SURFACE TEMP _____°C CLOACAL TEMP _____°C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____°C

HABITAT _____

CHASE _____ FEET

REMARKS: _____

_____

_____

_____

_____

_____

SPECIES PHRYNOSOMA M'CALLI TAG NO. 204

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE APR 7 1963 SPEEDOMETER

LOCALITY 11 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR. Nematodes in gut.

Left ovary	Right ovary
8 eggs – biggest 2 mm	5 eggs – biggest 2 mm
all white	all white

SPECIES _____ TAG NO. _____

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIPPED _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE _____ SPEEDOMETER _____

LOCALITY _____

COUNTY _____ CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: _____

SPECIES PHRYNOSOMA M'CALLI TAG NO. _____

CONTAINER NO. B50 SEX ♂ AGE ad TOE CLIP# 205

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 68

DATE APR 28 1963 SPEEDOMETER _____

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: DOR

SPECIES PHRYNOSOMA MCALLI TAG NO. 206

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 2 1963 SPEEDOMETER

LOCALITY 7mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR

(4) (8) (16)

SPECIES PHRYNOSOMA M'CALLI TAG NO. 207

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 24 1963 SPEEDOMETER

LOCALITY 6 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT ~~CREOSOTE BUSH SCRUB~~ Sand dune

CHASE FEET

REMARKS: DOR

(W) (20)

SPECIES PHRYNOSOMA M'CALLI TAG NO. 208

CONTAINER NO. — SEX ♀ AGE ad ? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE MAY 25 1963 SPEEDOMETER

LOCALITY 9 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: in mouth of Crotaphytus wislizeni

(7) (20) (W) This was the largest Crotaphytus I have ever seen. Unfortunately, it escaped.

SPECIES PHRYNOSOMA M'CALLI TAG NO. 209

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE MAY 25 1963 SPEEDOMETER _____

LOCALITY 10 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: DOR

(W) [redacted] (20)

PHRYNOSOMA M'CALLI

SPECIES PHRYNOSOMA M'CALLI TAG NO. 210

CONTAINER NO. — SEX ♂ AGE imm TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE MAY 25 1963 SPEEDOMETER _____

LOCALITY 12 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: DOR. On pavement. Found at 0100 5/26. Was not seen on road while night collecting earlier, so apparently got on road after dark. It had not been hit much earlier than when we found it because the hind legs and tail were still twitching.

SPECIES THRYNOSOMA M'CALLI TAG NO. 211

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE MAY 26 1963 SPEEDOMETER _____

LOCALITY 11 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: DOR ④ ⑧

SPECIES PHRYNOSOMA M'CALLI TAG NO. 212

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# 4

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 70

DATE MAY 26 1963 SPEEDOMETER

LOCALITY 12 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR

SPECIES PHRYNOSOMA M'CALLI TAG NO. 213

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUN 9 1963 SPEEDOMETER

LOCALITY 10 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR

(22) (W)

SPECIES PHRYNOSOMA M'CALLI TAG NO. 214

CONTAINER NO. B74 SEX f AGE ad TOE CLIP# 200

WEIGHT(gms) 18.2 SNOUT-VENT LENGTH(mm) 75

DATE SEP 4 1963 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1750 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on road

(sundown - 1800)

Left oviduct	Right oviduct
17.3 X 11.2 mm	17.2 X 10.9mm.
18.3 X 11.0 "	17.4 X 10.9 "
2 corpora lutea	2 corpora lutea

SPECIES PHRYNOSOMA M'CALLI TAG NO. 215

CONTAINER NO. B80 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE AUG 3 1984 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: CREOSOTE BUSH SCRUB

in sun on rock

SPECIES PHRYNOSOMA M'CALLI TAG NO. 216

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) 13.6 SNOUT-VENT LENGTH(mm) 74 (live) 79 (dead)

DATE AUG 19 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by Walt Moberly

SPECIES PHRYNOSOMA M'CALLI TAG NO. 217

CONTAINER NO. — SEX f AGE ad TOE CLIP#

WEIGHT(gms) 14.9 SNOUT-VENT LENGTH(mm) 75 (live) 75 (dead)

DATE AUG 19 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by Walt Moberly

SPECIES PHRYNOSOMA M'CALLI TAG NO. 218

CONTAINER NO. B78 SEX ♀ AGE ad TOE CLIP# 200

WEIGHT(gms) 14.6 SNOUT-VENT LENGTH(mm) 79

DATE SEP 3 1964 SPEEDOMETER

LOCALITY 8 mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 219

CONTAINER NO. B 78 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) 16.5 SNOUT-VENT LENGTH(mm) 76

DATE SEP 3 1984 SPEEDOMETER

LOCALITY 9 mi. W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 220

CONTAINER NO. B 73 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) 21.3 SNOUT-VENT LENGTH(mm) 87

DATE OCT 3 1964 SPEEDOMETER

LOCALITY 11 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 221

CONTAINER NO. B78 SEX ♂ AGE juv. TOE CLIP# 7

WEIGHT(gms) 8.0 SNOUT-VENT LENGTH(mm) 57

DATE OCT 3 1984 SPEEDOMETER

LOCALITY 8 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

Overheated in chamber

SPECIES PHRYNOSOMA M'CALLI TAG NO. 222

CONTAINER NO. B23 SEX ♂ AGE Imm TOE CLIP# 9

WEIGHT(gms) 9.6 SNOUT-VENT LENGTH(mm) 65

DATE OCT 3 1964 SPEEDOMETER

LOCALITY 12 mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

overheated in chamber

SPECIES PHRYNOSOMA M'CALLI TAG NO. 223

CONTAINER NO. B79 SEX ♀ AGE juv. TOE CLIP# 10

WEIGHT(gms) 8.1 SNOUT-VENT LENGTH(mm) 57

DATE OCT 3 1964 SPEEDOMETER

LOCALITY 12 mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: edge of pavement

overheated in chamber

SPECIES PHRYNOSOMA M'CALLI TAG NO. 224

CONTAINER NO. B79 SEX ♀ AGE juv TOE CLIP# 11

WEIGHT(gms) 4.8 SNOUT-VENT LENGTH(mm) 48

DATE OCT 3 1964 SPEEDOMETER

LOCALITY 11 mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

overheated in chamber

SPECIES PHRYNOSOMA M'CALLI TAG NO. 225

CONTAINER NO. B20 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE APR 1 5 1967 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0700 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: apparently spent the night in the open, since it was found near the base of a Larrea divericata very cold and immobile.

(caught by Richard Philibosian)

(both testes removed)

SPECIES PHRYNOSOMA M'CALLI TAG NO. 226

CONTAINER NO. B75 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) ~~68~~ 72

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 11 mi. W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 43.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA MCCALLI TAG NO. 227

CONTAINER NO. B75 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 11 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 228

CONTAINER NO. B5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE AUG 26 1967 SPEEDOMETER

LOCALITY 9 mi. W Ogilby

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA MCCALLI TAG NO. 229

CONTAINER NO. B5 SEX ♂ AGE ad TOE CLIP# 77

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 8 mi W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 230

CONTAINER NO. B55 SEX f AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 12 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA MCCALLI TAG NO. 231

CONTAINER NO. B55 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 11 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 232

CONTAINER NO. B47 SEX ♂ AGE ad TOE CLIP# ~~73~~

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 9 mi. W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 233

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 11mi W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1115 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA MCCALLI TAG NO. 234

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE APR 26 1967 SPEEDOMETER

LOCALITY 9 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 235

CONTAINER NO. B35 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE APR 26 1967 SPEEDOMETER

LOCALITY 14 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1455 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA MCCALLI TAG NO. 236

CONTAINER NO. B24 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE APR 26 1987 SPEEDOMETER _____

LOCALITY 12 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 44.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 237

CONTAINER NO. B24 SEX M AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 12 mi. W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH BORDER

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES [illegible] TAG NO. 238

CONTAINER NO. B15 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 12 mi. W. Blamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of Pavement

SPECIES [illegible] TAG NO. 239

CONTAINER NO. B15 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 13 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 240

CONTAINER NO. B7 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 12 mi W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA MCCALLI TAG NO. 241

CONTAINER NO. B7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE APR 26 1967 SPEEDOMETER

LOCALITY 12 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 242

CONTAINER NO. B4 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE APR 26 1967 SPEEDOMETER _____

LOCALITY 10 mi W Blaine

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1535 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement

SPECIES PHRYNOSOMA MCCALLI TAG NO. 243

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAY 1 5 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 244

CONTAINER NO. B60 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE MAY 15 1967 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA MCALLI TAG NO. 245

CONTAINER NO. B60 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE MAY 1 5 1967 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA MCALLI TAG NO. 246

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 15 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA MCCALLI TAG NO. 247

CONTAINER NO. B79 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE MAY 1 5 1967 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 248

CONTAINER NO. B79 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE MAY 1 5 1967 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA MCALLI TAG NO. 249

CONTAINER NO. W240 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE MAY 1 5 1967 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on sand at edge of road — with ♂.

SPECIES PHRYNOSOMA M'CALLI TAG NO. 250

CONTAINER NO. W240 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 1 5 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: on sand at edge of road—with ♀.

SPECIES PHRYNOSOMA MCALLI TAG NO. 251

CONTAINER NO. W240 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE MAY 1 5 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 252

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE MAY 15 1967 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 253

CONTAINER NO. B 6 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 19 1967 SPEEDOMETER

LOCALITY 11 mi. W. Palamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 254

CONTAINER NO. B75 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE MAY 19 1967 SPEEDOMETER

LOCALITY 11 mi W. Calexico

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 255

CONTAINER NO. B75 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 19 1967 SPEEDOMETER

LOCALITY Hwy W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 256

CONTAINER NO. B 22 SEX f AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 63

DATE MAY 1 9 1967 SPEEDOMETER

LOCALITY 11 mi W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 257

CONTAINER NO. B 22 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 19 1967 SPEEDOMETER

LOCALITY 12 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 258

CONTAINER NO. B20 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE MAY 19 1967 SPEEDOMETER

LOCALITY 13 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 259

CONTAINER NO. B20 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE MAY 19 1967 SPEEDOMETER

LOCALITY 12 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 260

CONTAINER NO. B4 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 1 9 1967 SPEEDOMETER

LOCALITY 11 mi W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 261

CONTAINER NO. B4 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE MAY 19 1967 SPEEDOMETER

LOCALITY 11 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0800 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: on pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 262

CONTAINER NO. B60 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 1 9 1967 SPEEDOMETER

LOCALITY 10 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0735 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: on pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 263

CONTAINER NO. B60 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE MAY 19 1967 SPEEDOMETER

LOCALITY 9mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0720 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA MCALLI TAG NO. 264

CONTAINER NO. B60 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE MAY 19 1967 SPEEDOMETER

LOCALITY 9 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0720 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 265

CONTAINER NO. B 6 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE MAY 1 9 1967 SPEEDOMETER

LOCALITY 11 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 266

CONTAINER NO. B 1 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAY 1 9 1967 SPEEDOMETER

LOCALITY 10 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 267

CONTAINER NO. B1 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE MAY 19 1967 SPEEDOMETER

LOCALITY 9 mi W Calexico

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) ~~400~~ 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 268

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0730 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Caught by field zoology class.

SPECIES PHRYNOSOMA M'CALLI TAG NO. 269

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0745 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA M'CALLI TAG NO. 270

CONTAINER NO. B24 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA M'CALLI TAG NO. 271

CONTAINER NO. B7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0740 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA M'CALLI TAG NO. 272

CONTAINER NO. B7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA M'CALLI TAG NO. 273

CONTAINER NO. B7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0910 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA M'CALLI TAG NO. 274

CONTAINER NO. B16 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0741 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA M'CALLI TAG NO. 275

CONTAINER NO. B16 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA M'CALLI TAG NO. 276

CONTAINER NO. B13 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0730 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 277

CONTAINER NO. B 13 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0730 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 278

CONTAINER NO. B13 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0725 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 279

CONTAINER NO. B5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 280

CONTAINER NO. B5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 281

CONTAINER NO. B5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 282

CONTAINER NO. 136 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE JUN 7 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 283

CONTAINER NO. B 2 SEX ♂ AGE imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) [redacted] 62

DATE JUN 7 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA MCALLI TAG NO. 284

CONTAINER NO. B4 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE JUN 7 1967 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

Large spine at back of head (on right side) missing

SPECIES PHRYNOSOMA M'CALLI TAG NO. 285

CONTAINER NO. B-1 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUN 7 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 286

CONTAINER NO. 316 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 71

DATE JUN 7 1967 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 287

CONTAINER NO. B12 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE JUN 7 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement — within 3 feet of ♂ (No. 288).

SPECIES PHRYNOSOMA M'CALLI TAG NO. 288

CONTAINER NO. B 12 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE JUN 7 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 10:45 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement — within 3 feet of ♀ (No. 287)

SPECIES PHRYNOSOMA M'CALLI TAG NO. 289

CONTAINER NO. B3 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUN 7 1967 SPEEDOMETER

LOCALITY Palm Springs: Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) 36.4 °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In process of mating with No. 290 in middle of road.

SPECIES PHRYNOSOMA M'CALLI TAG NO. 290

CONTAINER NO B3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE JUN 7 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) 36.4 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In process of mating with No. 289 in middle of road

SPECIES PHRYNOSOMA M'CALLI TAG NO. 291

CONTAINER NO. B19 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE JUN 7 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 292

CONTAINER NO. B21 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE JUN 15 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0720 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 293

CONTAINER NO. B5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE JUN 15 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0755 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 294

CONTAINER NO. B 8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUN 1 5 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0800 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 295

CONTAINER NO. B1 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUN 15 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: on road

SPECIES PHRYNOSOMA M'CALLI TAG NO. 296

CONTAINER NO. B 20 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE JUN 1 5 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 297

CONTAINER NO. B7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE JUN 15 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 298

CONTAINER NO. B70 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUN 15 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE 25 FEET

REMARKS: on road

SPECIES PHRYNOSOMA M'CALLI TAG NO. 299

CONTAINER NO. B3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE JUN 15 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 300

CONTAINER NO. B10 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUN 15 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 301

CONTAINER NO. B2 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUN 15 1967 SPEEDOMETER

LOCALITY 12 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1630 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: edge of pavement

2 posterior spines on head reduced

SPECIES PHRYNOSOMA M'CALLI TAG NO. 302

CONTAINER NO. B 19 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE JUN 15 1967 SPEEDOMETER

LOCALITY 11 mi. W. Calexico

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1640 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 303

CONTAINER NO. B6 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUN 15 1967 SPEEDOMETER

LOCALITY 9 mi. W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1715 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 304

CONTAINER NO. B16 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE JUN 15 1967 SPEEDOMETER

LOCALITY 9 mi W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1715 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 305

CONTAINER NO. B 13 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE JUN 1 6 1967 SPEEDOMETER

LOCALITY 8 mi. W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0740 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

Left posterior spine on head much reduce

SPECIES PHRYNOSOMA M'CALLI TAG NO. 306

CONTAINER NO. B14 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUN 16 1967 SPEEDOMETER

LOCALITY 8 mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0745 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 310

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 307

CONTAINER NO. B18 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE JUN 16 1967 SPEEDOMETER

LOCALITY 9 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 308

CONTAINER NO. B79 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUN 16 1967 SPEEDOMETER

LOCALITY 12 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 309

CONTAINER NO. B 60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE JUN 1 6 1967 SPEEDOMETER

LOCALITY 13 mi W. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40 5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 310

CONTAINER NO. B55 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE JUN 16 1967 SPEEDOMETER

LOCALITY 13 mi W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA MCALLI TAG NO. 311

CONTAINER NO. B15 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUN 16 1967 SPEEDOMETER

LOCALITY 13 mi W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 312

CONTAINER NO. B75 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUN 16 1967 SPEEDOMETER

LOCALITY 12 mi W Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 313

CONTAINER NO. B14 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUL 1 1 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0725 CLOUDS(% overcast) 10

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 314

CONTAINER NO. B10 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUL 1 1 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0730 CLOUDS(% overcast) 10

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 315

CONTAINER NO. B2 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE JUL 1 1 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0745 CLOUDS(% overcast) 10

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

Left oviduct	Right oviduct
16.1 X 9.7 mm	17.8 X 11.4 mm
17.5 x 9.0 "	19.4 X 11.0 "
17.0 X 10.5 "	

Left ovary – 3 corpora lutea

Right ovary – 2 " "

SPECIES PHRYNOSOMA M'CALLI TAG NO. 316

CONTAINER NO. 313 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE JUL 1 1 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0800 CLOUDS(% overcast) 10

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 317

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE JUL 11 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 10

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 318

CONTAINER NO. B55 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE JUL 1 1 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0820 CLOUDS(% overcast) 10

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: on pavement

SPECIES PHRYNOSOMA M'CALLII TAG NO. 319

CONTAINER NO. 1379 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE JUL 1 1 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 10

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 320

CONTAINER NO. B70 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUL 1 1 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 10

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 321

CONTAINER NO. B3 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE JUL 1 1 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 10

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 322

CONTAINER NO. B22 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE August 15, 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0725 CLOUDS(% overcast) 90

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 323

CONTAINER NO. B 32 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE August 16, 1967 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ~~SW~~ SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 324

CONTAINER NO. B35 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE Aug. 16, 1967 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 380

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 325

CONTAINER NO. R42 SEX f AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE August 17, 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0750 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: edge of pavement

SPECIES PHRYNOSOMA M'CALLI TAG NO. 326

CONTAINER NO. B 73 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE Aug. 17, 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on road

SPECIES PHRYNOSOMA M'CALLI TAG NO. 327

CONTAINER NO. B19 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE Aug. 17, 1967 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: On road

SPECIES PHRYNOSOMA M'CALLI TAG NO. 328

CONTAINER NO. B10 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE April 13, 1968 SPEEDOMETER

LOCALITY Palm Springs Panorama

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA MCALLI TAG NO. 329

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE April 27, 1968 SPEEDOMETER

LOCALITY 11 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR (Just hit by car)
(Dissected in field)

SPECIES PHRYNOSOMA M'CALLI TAG NO. 330

CONTAINER NO. B2 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE April 28, 1968 SPEEDOMETER

LOCALITY 9 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement


R-351
STEEL BACKPLATE
S. E. & M. VERNON, INC.
U. S. A.